

**PHYSICS
MOMENTUM LAB**

NAME: _____

Pledge: *I have neither given nor received unauthorized help:* _____

OBJECTIVE. To investigate elastic and inelastic collisions.

PART II. AIR TRACK SIMULATION. (<http://www.physicslessons.com/exp5b.htm>)

This simulation models a basic air track with two blocks.

GENERAL DIRECTIONS:

- Drag the **RED Block** to the '0' mark on the ruler and drag the **GREEN Block** to the '3' mark for all experiments
- Click **GO** to start Simulations
- **STOP** the simulation after the blocks reach the end of ruler.
- Read **FINAL VELOCITIES** by clicking on the **GREEN TAB** of the Momentum Values
- Set e at '1' for ELASTIC COLLISIONS
- Set e at '0' for INELASTIC COLLISIONS

Part I. ELASTIC COLLISIONS: QUALITATIVE ANALYSIS

DIRECTIONS: After setting the values click on **GO** and observe what happens **AFTER** the collision, then answer the questions indicating your observations regarding the **velocities** (how fast, how slow) and **direction** of each mass.

Elastic Collision **Case I. $m_1 = m_2$**
Set the values as: $m_1 = 2 \text{ kg}$ $m_2 = 2 \text{ kg}$
 $v_1 = 5 \text{ m/s}$ $v_2 = 0 \text{ m/s}$

What happens to *Mass 1* (RED)?

What happens to *Mass 2* (GREEN)?

Elastic Collision **Case II. $m_1 > m_2$**
Set the values as: $m_1 = 2 \text{ kg}$ $m_2 = 1 \text{ kg}$
 $v_1 = 5 \text{ m/s}$ $v_2 = 0 \text{ m/s}$

What happens to *Mass 1* (RED)?

What happens to *Mass 2* (GREEN)?

Elastic Collision **Case III.** $m_1 < m_2$
 Set the values as: $m_1 = 1 \text{ kg}$ $m_2 = 2 \text{ kg}$
 $v_1 = 5 \text{ m/s}$ $v_2 = 0 \text{ m/s}$

What happens to *Mass 1* (RED)?

What happens to *Mass 2* (GREEN)?

Part II. COLLISIONS: QUANTITATIVE ANALYSIS

FOR EACH CASE:

1. Find the values for the **FINAL VELOCITIES** (v_1' and v_2') of each block (reading from the Green Tab) and record the values on the tables.
2. Perform your **OWN** calculations for **MOMENTUM** and **KINETIC ENERGY** showing all your work: equations and answers.

ELASTIC COLLISION I. (Set e at 1)

RED BLOCK	GREEN BLOCK
$m_1 = 3 \text{ kg}$	$m_2 = 2 \text{ kg}$
$v_1 = 5 \text{ m/s}$	$v_2 = 0 \text{ m/s}$
Initial momentum =	Initial momentum =
Initial KE =	Initial KE =
$v_1' =$	$v_2' =$
Final momentum =	Final momentum =
Final KE =	Final KE

Was momentum conserved? _____ Was KE conserved? _____

ELASTIC COLLISION II. (Set e at 1)

RED BLOCK	GREEN BLOCK
$m_1 = 3 \text{ kg}$	$m_2 = 2 \text{ kg}$
$v_1 = 5 \text{ m/s}$	$v_2 = -4 \text{ m/s}$
Initial momentum =	Initial momentum =
Initial KE =	Initial KE =
$v_1' =$	$v_2' =$
Final momentum =	Final momentum =
Final KE =	Final KE

Was momentum conserved? _____ Was KE conserved? _____

INELASTIC COLLISION I. (Set e at 0)

RED BLOCK	GREEN BLOCK
$m_1 = 3 \text{ kg}$	$m_2 = 2 \text{ kg}$
$v_1 = 5 \text{ m/s}$	$v_2 = 0 \text{ m/s}$
Initial momentum =	Initial momentum =
Initial KE =	Initial KE =
$v_1' =$	$v_2' =$
Final momentum =	Final momentum =
Final KE =	Final KE

Was momentum conserved? _____ Was KE conserved? _____

If not, find is the loss of KE:

INELASTIC COLLISION II. (Set e at 0)

RED BLOCK	GREEN BLOCK
$m_1 = 3 \text{ kg}$	$m_2 = 2 \text{ kg}$
$v_1 = 5 \text{ m/s}$	$v_2 = - 4 \text{ m/s}$
Initial momentum =	Initial momentum =
Initial KE =	Initial KE =
$v_1' =$	$v_2' =$
Final momentum =	Final momentum =
Final KE =	Final KE

Was momentum conserved? _____ Was KE conserved? _____

If not, find is the loss of KE: